

Serial No. 09/032,095

-2-

7 database by the first process to return data that reflects a database state associated
8 with the snapshot time;
9 after the first process obtains the snapshot time, causing the first process to extract the
10 particular set of data from the first database; and
11 supplying said software application with the particular set of data that was extracted from
12 the first database.

1 2. (Not Amended) The method of Claim 1, further comprising the step of causing a second
2 process to store the particular set of data in a second database.

1 3. (Not Amended) The method of Claim 1, wherein the step of identifying the particular set
2 of data includes the step of creating a copy table list, wherein the copy table list contains
3 entries that identify the particular set of data in the first database.

1 4. (Not Amended) The method of Claim 2, wherein the step of causing the second process
2 to store the particular set of data in the second database includes the steps of:
3 writing the particular set of data to one or more flat files; and
4 executing a loader process, wherein the loader process loads the particular set of data
5 from the one or more flat files to the second database.

1 5. (Not Amended) The method of Claim 3, further comprising the steps of:
2 executing a delete process, wherein the delete process uses the copy table list to identify
3 data that needs to be deleted in a second database; and
4 deleting the identified data from the second database.

1 6. (Not Amended) The method of Claim 4, wherein the step of writing the particular set of
2 data to one or more flat files includes the steps of:

Serial No. 09/032,095

-3-

3 the first process informing a coordinator process when it has finished writing data to a
4 particular flat file; and
5 the coordinator using the information to tell the loader process when it can begin loading
6 the flat file into the second database.

1 7. (Not Amended) The method of Claim 4, wherein the step of:
2 writing the particular set of data to the flat file includes the step of writing the particular
3 set of data to a plurality of flat files; and
4 executing the loader process includes the step of executing a plurality of loader processes,
5 wherein the plurality of loader processes load the particular set of data from the
6 plurality of flat files to the second database.

1 8. (Not Amended) The method of Claim 2, wherein the step of supplying said software
2 application with data from said particular set of data includes the steps of:
3 said software application reading the particular set of data stored in the second database;
4 and
5 said software application generating a planning schedule based on the particular set of
6 data.

1 9. (Not Amended) The method of Claim 3, where the step of creating the copy table list
2 includes the steps of:
3 communicating with the software application to identifying a set of planning data, where
4 the planning data is required for generating a planning schedule; and
5 creating the copy table list based on the identified set of planning data.

1 10. (Not Amended) The method of Claim 1, wherein the step of supplying said software
2 application with data from said particular set of data includes the steps of:

Serial No. 09/032,095

-4-

3 writing the particular set of data to one or more flat files; and
4 supplying the one or more flat files to said software application, wherein said software
5 application generates a planning schedule based on information contained in the
6 one or more flat files .

1 11. (Not Amended) A method for producing a copy of data from a first database, the method
2 comprising the steps of:
3 locking a first set of data in the first database;
4 after locking the first set of data,
5 requesting a plurality of processes to obtain snapshot times from a database server
6 associated with said first database, wherein the snapshot times cause all
7 subsequent reads of the first database by the plurality of processes to
8 return data from the first database as of said snapshot times;
9 waiting a particular period of time for the plurality of processes to be assigned
10 snapshot times;
11 releasing the locks on the first set of data in the first database;
12 using a successful set of said plurality of processes to extract a copy of the first set
13 of data from the first database, wherein said successful set includes only
14 those processes of the plurality of processes that were assigned a snapshot
15 time within the particular period of time; and
16 storing the copy of the first set of data separate from said first of data.

1 12. (Not Amended) The method of Claim 11, wherein the step of identifying the first set of
2 data includes the step of creating a copy table list, wherein the copy table list contains
3 entries that identify the first set of data in the first database.

Serial No. 09/032,095

-5-

- 1 13. (Not Amended) The method of Claim 12, where the step of creating the copy table list
2 includes the steps of:
3 identifying a set of planning data, where the planning data is required to generate a
4 planning schedule; and
5 creating the copy table list based on the planning data required to generate the planning
6 schedule.
- 1 14. (Not Amended) The method of Claim 11, wherein the step of storing the copy of the first
2 set of data includes the steps of:
3 writing the copy of the first set of data to a plurality of flat files; and
4 executing a plurality of loader processes, wherein the plurality of loader processes load
5 the copy of the first set of data from the plurality of flat files to a second database.
- 1 15. (Not Amended) The method of Claim 12, further comprising the steps of:
2 executing a plurality of delete processes, wherein the plurality of delete processes use the
3 copy table list to identify data that needs to be deleted in a second database; and
4 deleting the identified data from the second database.
- 1 16. (Not Amended) The method of Claim 11, wherein the step of requesting the plurality of
2 processes to obtain a snapshot time includes the step of requesting the plurality of
3 processes based on a user input parameter, wherein the user input parameter identifies
4 how many processes should be requested to obtain a snapshot time.
- 1 17. (Not Amended) The method of Claim 11, wherein the step of extracting the copy of the
2 first set of data from the database includes the steps of:
3 assigning a set of copy data to the plurality of snapshot processes; and

Serial No. 09/032,095

-6-

4 retrieving data from the first database based on the set of copy data that was assigned to
5 the plurality of snapshot processes.

1 18. (Not Amended) The method of Claim 14, wherein:
2 the steps of writing the copy of the first set of data to a plurality of flat files further
3 includes the step of notifying a coordinator process that data has been written to
4 one of the plurality of flat files; and
5 the steps of executing the plurality of loader processes further includes the step of the
6 coordinator, upon being notified that data has been written to one of the plurality
7 of flat files, launching a loader process to load the first set of data from one of the
8 plurality of flat files to the second database.

1 19. (Not Amended) The method of Claim 14, wherein the step of writing the copy of the first
2 set of data to the plurality of flat files includes the steps of:
3 the plurality of process informing a coordinator process when it has finished writing data
4 to a particular flat file; and
5 the coordinator using the information to tell one of the plurality of loader processes when
6 it can begin loading the particular flat file into the second database.

1 20. (Not Amended) The method of Claim 11, wherein the step of storing the copy of the first
2 set of data includes the steps of storing the copy of the first set of data as blob files that
3 are separate from said first of data.

1 21. (Not Amended) The method of Claim 11, wherein the step of storing the copy of the first
2 set of data includes the steps of storing the copy of the first set of data in said first of data.

Serial No. 09/032,095

-7-

1 22. (Amended) A computer-readable medium carrying one or more sequences of one or more
2 instructions for supplying a consistent set of data to a software application, the one or
3 more sequences of one or more instructions including instructions which, when executed
4 by one or more processors, cause the one or more processors to perform the steps of:
5 [launching said software application;]
6 identifying a particular set of data that is required by the software application;
7 requesting a first process to obtain a snapshot time from a database server associated with
8 a first database, wherein the snapshot time causes all subsequent reads of said first
9 database by the first process to return data that reflects a database state associated
10 with the snapshot time;
11 after the first process obtains the snapshot time, causing the first process to extract the
12 particular set of data from the first database; and
13 supplying said software application with the particular set of data that was extracted from
14 the first database.

1 23. (Not Amended) The computer-readable medium of Claim 22, wherein the computer-
2 readable medium further comprises instructions for performing the step of causing a
3 second process to store the particular set of data in a second database.

1 24. (Not Amended) The computer-readable medium of Claim 22, wherein the step of
2 identifying the particular set of data includes the step of creating a copy table list,
3 wherein the copy table list contains entries that identify the particular set of data in the
4 first database.

1 25. (Not Amended) The computer-readable medium of Claim 23, wherein the step of causing
2 the second process to store the particular set of data in the second database includes the
3 steps of:

Serial No. 09/032,095

-8-

4 writing the particular set of data to one or more flat files; and
5 executing a loader process, wherein the loader process loads the particular set of data
6 from the one or more flat files to the second database.

1 26. (Not Amended) The computer-readable medium of Claim 25, wherein the step of writing
2 the particular set of data to one or more flat files includes the steps of:
3 the first process informing a coordinator process when it has finished writing data to a
4 particular flat file; and
5 the coordinator using the information to tell the loader process when it can begin loading
6 the flat file into the second database.

1 27. (Not Amended) A computer-readable medium carrying one or more sequences of one or
2 more instructions for producing a copy of data from a first database, the one or more
3 sequences of one or more instructions including instructions which, when executed by
4 one or more processors, cause the one or more processors to perform the steps of:
5 locking a first set of data in the first database;
6 after locking the first set of data,
7 requesting a plurality of processes to obtain snapshot times from a database server
8 associated with said first database, wherein the snapshot times cause all
9 subsequent reads of the first database by the plurality of processes to return data
10 from the first database as of said snapshot times;
11 waiting a particular period of time for the plurality of processes to be assigned snapshot
12 times;
13 releasing the locks on the first set of data in the first database;
14 using a successful set of said plurality of processes to extract a copy of the first set of data
15 from the first database, wherein said successful set includes only those processes

Serial No. 09/032,095

-9-

16 of the plurality of processes that were assigned a snapshot time within the
17 particular period of time; and
18 storing the copy of the first set of data separate from said first of data.

1 28. (Not Amended) The computer-readable medium of Claim 27, wherein the step of
2 identifying the first set of data includes the step of creating a copy table list, wherein the
3 copy table list contains entries that identify the first set of data in the first database.

1 29. (Not Amended) The computer-readable medium of Claim 27, wherein the step of storing
2 the copy of the first set of data includes the steps of:
3 writing the copy of the first set of data to a plurality of flat files; and
4 executing a plurality of loader processes, wherein the plurality of loader processes load
5 the copy of the first set of data from the plurality of flat files to a second database.

1 30. (Not Amended) The computer-readable medium of Claim 27, wherein the step of
2 extracting the copy of the first set of data from the database includes the steps of:
3 assigning a set of copy data to the plurality of snapshot processes; and
4 retrieving data from the first database based on the set of copy data that was assigned to
5 the plurality of snapshot processes.

1 31. (Not Amended) The computer-readable medium of Claim 29, wherein the step of writing
2 the copy of the first set of data to the plurality of flat files includes the steps of:
3 the plurality of process informing a coordinator process when it has finished writing data
4 to a particular flat file; and
5 the coordinator using the information to tell one of the plurality of loader processes when
6 it can begin loading the particular flat file into the second database.

Serial No. 09/032,095

-10-

1 32. (Amended) A computer system for supplying a consistent set of data to a software
2 application, the computer system comprising:
3 a memory;
4 one or more processors coupled to the memory; and
5 a set of computer instructions contained in the memory, the set of computer instructions
6 including computer instructions which when executed by the one or more
7 processors, cause the one or more processors to perform the steps of:
8 [launching said software application;]
9 identifying a particular set of data that is required by the software application;
10 requesting a first process to obtain a snapshot time from a database server
11 associated with a first database, wherein the snapshot time causes all
12 subsequent reads of said first database by the first process to return data
13 that reflects a database state associated with the snapshot time;
14 after the first process obtains the snapshot time, causing the first process to extract
15 the particular set of data from the first database; and
16 supplying said software application with the particular set of data that was
17 extracted from the first database.

1 33. (Not Amended) The computer system of Claim 32, further including instructions for
2 performing the step of causing a second process to store the particular set of data in a
3 second database.

1 34. (Not Amended) The computer system of Claim 32, wherein the step of identifying the
2 particular set of data includes the step of creating a copy table list, wherein the copy
3 table list contains entries that identify the particular set of data in the first database.

Serial No. 09/032,095

-11-

1 35. (Not Amended) The computer system of Claim 33, wherein the step of causing the
2 second process to store the particular set of data in the second database includes the steps
3 of:
4 writing the particular set of data to one or more flat files; and
5 executing a loader process, wherein the loader process loads the particular set of data
6 from the one or more flat files to the second database.

1 36. (Not Amended) The computer system of Claim 35, wherein the step of writing the
2 particular set of data to one or more flat files includes the steps of:
3 the first process informing a coordinator process when it has finished writing data to a
4 particular flat file; and
5 the coordinator using the information to tell the loader process when it can begin loading
6 the flat file into the second database.

1 37. (Not Amended) A computer system for producing a copy of data from a first database, the
2 computer system comprising:
3 a memory;
4 one or more processors coupled to the memory; and
5 a set of computer instructions contained in the memory, the set of computer instructions
6 including computer instructions which when executed by the one or more
7 processors, cause the one or more processors to perform the steps of:
8 locking a first set of data in the first database;
9 after locking the first set of data,
10 requesting a plurality of processes to obtain snapshot times from a
11 database server associated with said first database, wherein the
12 snapshot times cause all subsequent reads of the first database by the

Serial No. 09/032,095

-12-

13 plurality of processes to return data from the first database as of said
14 snapshot times;
15 waiting a particular period of time for the plurality of processes to be
16 assigned snapshot times;
17 releasing the locks on the first set of data in the first database;
18 using a successful set of said plurality of processes to extract a copy of the
19 first set of data from the first database, wherein said successful set
20 includes only those processes of the plurality of processes that were
21 assigned a snapshot time within the particular period of time; and
22 storing the copy of the first set of data separate from said first of data.

1 38. (Not Amended) The computer system of Claim 37, wherein the step of identifying the
2 first set of data includes the step of creating a copy table list, wherein the copy table list
3 contains entries that identify the first set of data in the first database.

1 39. (Not Amended) The computer system of Claim 37, wherein the step of storing the copy
2 of the first set of data includes the steps of:
3 writing the copy of the first set of data to a plurality of flat files; and
4 executing a plurality of loader processes, wherein the plurality of loader processes load
5 the copy of the first set of data from the plurality of flat files to a second database.

1 40. (Not Amended) The computer system of Claim 37, wherein the step of extracting the
2 copy of the first set of data from the database includes the steps of:
3 assigning a set of copy data to the plurality of snapshot processes; and
4 retrieving data from the first database based on the set of copy data that was assigned to
5 the plurality of snapshot processes.

Serial No. 09/032,095

13

- 1 41. (Not Amended) The computer system of Claim 39, wherein the step of writing the copy
- 2 of the first set of data to the plurality of flat files includes the steps of:
- 3 the plurality of process informing a coordinator process when it has finished writing data
- 4 to a particular flat file; and
- 5 the coordinator using the information to tell one of the plurality of loader processes when
- 6 it can begin loading the particular flat file into the second database.